

# SAFETY DATA SHEET

# **Chain Spray**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

**Chain Spray** 

Unique formula identifier (UFI)

28MA-T8SC-MTCM-69HK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Industrial purposes

Use descriptors (REACH)

| Sector of use                    | Description  |
|----------------------------------|--|
| LCS "C"                          | Consumer uses: Private households (= general public = consumers) |
| Product categories               | Description  |
| PC24                             | Lubricants, Greases and Release Products                         |
| Process Categories               | Description  |
| PROC18                           | Greasing at high energy conditions                               |
| Environmental release categories | Description  |
| ERC8a                            | Wide dispersive indoor use of processing aids in open systems    |

# Uses advised against

No special

# 1.3. Details of the supplier of the safety data sheet

# Company and address

#### Pureno A/S

Rønnevangs Alle 8

3400 Hillerød

Danmark

+45 70 260 267

#### Contact person

Kenneth Christensen

# E-mail

kc@pureno.dk

SDS date

2021-07-06

**SDS Version** 

4.0

# Date of previous version

2021-06-09 (3.0)

#### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".



#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Aerosol 3; H229, Pressurised container: May burst if heated.

Skin Sens. 1; H317, May cause an allergic skin reaction.

#### 2.2. Label elements

#### Hazard pictogram(s)



# Signal word

Warning

#### Hazard statement(s)

Pressurised container: May burst if heated. (H229)

May cause an allergic skin reaction. (H317)

#### Safety statement(s)

#### General

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Do not pierce or burn, even after use. (P251)

#### Response

IF ON SKIN: Wash with plenty of water and soap. (P302+P352)

If skin irritation or rash occurs: Get medical advice/attention. (P333+P313)

# Storage

Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F. (P410+P412)

# Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

# ▼ Hazardous substances

reaction product: bisphenol-A-(epichlorhydrin);epoxy resin (number average molecular weight ≤ 700)

#### 2.3. Other hazards

# Additional labelling

Not applicable

# Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

## SECTION 3: Composition/information on ingredients

### ▼3.2 Mixtures

| Product/substance | Identifiers       | % w/w  | Classification     | Note |
|-------------------|-------------------|--------|--------------------|------|
| dimethoxymethan   | CAS No.: 109-87-5 | 40-60% | Flam. Liq. 2, H225 |      |
|                   | EC No.: 203-714-2 |        |                    |      |
|                   | REACH:            |        |                    |      |
|                   | Index No.:        |        |                    |      |

Chain Spray Page 2 of 12





| carbon dioxide                                   | CAS No.: 124-38-9                | 5-10% | Press. Gas (Liq.) , H280                                | [1] |
|--|----------------------------------|-------|---|-----|
|  | EC No.: 204-696-9                |       |   |     |
|  | REACH:                           |       |   |     |
|  | Index No.:                       |       |   |     |
| reaction product:<br>bisphenol-A-                | CAS No.: 25068-38-6              | 1-3%  | Skin Irrit. 2, H315 (SCL: 5.00 %)<br>Skin Sens. 1, H317 |     |
| (epichlorhydrin);epoxy                           | EC No.: 500-033-5                |       | Eye Irrit. 2, H319 (SCL: 5.00 %)                        |     |
| resin (number average<br>molecular weight ≤ 700) | REACH: 01-2119456619-26-<br>XXXX |       | Aquatic Chronic 2, H411                                 |     |
|  | Index No.: 603-074-00-8          |       |   |     |

-----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

# Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### **Burns**

Not applicable

# 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

Chain Spray Page 3 of 12



#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Given that it does not present and hazard gas supplies shall be disrupted immediately. Removal of pressurized containers or attempting to cool with water shall be entrusted the fire brigade.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2).

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

# 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

# 7.2. Conditions for safe storage, including any incompatibilities

No special conditions required.

# Recommended storage material

Always store in containers of the same material as the original container.

# Storage temperature

> 0°C

# Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

Chain Spray Page 4 of 12



# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

\_\_

dimethoxymethan

Long term exposure limit (8 hours) (ppm): 1000 Long term exposure limit (8 hours) (mg/m³): 3160 Short term exposure limit (15 minutes) (ppm): 1250 Short term exposure limit (15 minutes) (mg/m³): 3950

\_

carbon dioxide

Long term exposure limit (8 hours) (ppm): 5000 Long term exposure limit (8 hours) (mg/m³): 9150 Short term exposure limit (15 minutes) (ppm): 15000 Short term exposure limit (15 minutes) (mg/m³): 27400

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020)

#### **DNEL**

| Product/substance<br>DNEL | dimethoxymethan<br>132 mg/m3                      |
|---------------------------|---|
| Route of exposure         | Inhalation  |
| Duration                  | Long term – Systemic effects - Workers            |
| Product/substance         | dimethoxymethan                                   |
| DNEL                      | 22mg/kg bw/day                                    |
| Route of exposure         | Dermal  |
| Duration                  | Long term – Systemic effects - Workers            |
| Product/substance         | dimethoxymethan                                   |
| DNEL                      | 39 mg/m3  |
| Route of exposure         | Inhalation  |
| Duration                  | Long term – Systemic effects - General population |
| Product/substance         | dimethoxymethan                                   |
| DNEL                      | 5,7 mg/kg bw/day                                  |
| Route of exposure         | Dermal  |
| Duration                  | Long term – Systemic effects - General population |
| Product/substance         | dimethoxymethan                                   |
| DNEL                      | 9,6 mg/kg bw/day                                  |
| Route of exposure         | Oral  |

# **PNEC**

No data available

# 8.2. Exposure controls

Duration

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

Long term - Systemic effects - General population

# General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

# Exposure scenarios

There are no exposure scenarios implemented for this product.

# **Exposure limits**

Chain Spray Page 5 of 12



Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

# Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

# Measures to avoid environmental exposure

No specific requirements

#### Individual protection measures, such as personal protective equipment

#### Generally

Use only CE marked protective equipment.

# **Respiratory Equipment**

| Work situation  | Type  | Class Colour Standards |
|---|---|------------------------|
| When developing vapour, use respiratory protection with approved filter | Normally, personal respiratory equitment is not necessary |                        |

# Skin protection

| Work situation | Recommended                            | Type/Category | Standards |   |
|----------------|--|---------------|-----------|---|
|                | Dedicated work clothing should be worn | -             | -         | R |

# **▼** Hand protection

| Work situation | Material | Glove thickness<br>(mm) | Breakthrough time (min.) | Standards                  |  |
|----------------|----------|-------------------------|--------------------------|----------------------------|--|
|                | Nitrile  | 0.3                     | > 60                     | EN374-2, EN374-3,<br>EN388 |  |

# Eye protection

| Work situation | Туре  | Standards |  |
|----------------|---|-----------|--|
|                | In the likelihood of direct or incidental exposure, use eye protection. | EN166     |  |



Page 6 of 12

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

# Form

Aerosol

#### Colour

Testing not relevant or not possible due to nature of the product.

Characteristic

# Odour threshold (ppm)

Testing not relevant or not possible due to nature of the product.

рН

Testing not relevant or not possible due to nature of the product.

Chain Spray



Density (g/cm³)

0.85

Viscosity

Testing not relevant or not possible due to nature of the product.

#### Phase changes

Melting point (°C)

Testing not relevant or not possible due to nature of the product.

Boiling point (°C)

Testing not relevant or not possible due to nature of the product.

Vapour pressure

Testing not relevant or not possible due to nature of the product.

Vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

Evaporation rate (n-butylacetate = 100)

Data on fire and explosion hazards

Flash point (°C)

Does not apply to aerosols.

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Explosion limits (% v/v)

Testing not relevant or not possible due to nature of the product.

**Explosive properties** 

Testing not relevant or not possible due to nature of the product.

Oxidizing properties

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Testing not relevant or not possible due to nature of the product.

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to nature of the product.

9.2. Other information

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

# SECTION 11: Toxicological information



# 11.1. Information on toxicological effects

# Acute toxicity

Product/substance

dimethoxymethan

Test method

Species Rat
Route of exposure Oral
Test LD50
Result 6423 mg/kg ·

Other information

Product/substance

dimethoxymethan

Test method

Species Mouse

Route of exposure Oral

Test LD50

Result 6950 mg/kg ·

Other information

Product/substance

dimethoxymethan

Test method

Species Rabbit
Route of exposure Dermal
Test LD50
Result >500 mg/kg ·

Other information

Product/substance

carbon dioxide

Test method

Species Rat
Route of exposure Inhalation
Test LC50

Result 470000 ppm 0,5 h ·

Other information

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.

# Serious eye damage/irritation

Based on available data, the classification criteria are not met.

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

# Skin sensitisation

May cause an allergic skin reaction.

# Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met. STOT-repeated exposure

Based on available data, the classification criteria are not met. Aspiration hazard

Based on available data, the classification criteria are not met.



#### Long term effects

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### Other information

No special

# SECTION 12: Ecological information

# 12.1. Toxicity

Product/substance dimethoxymethan

Test method

Species Fish

Compartment

Duration 96 hours
Test LC50
Result >1000 mg/l·

Other information

Product/substance dimethoxymethan

Test method

Species Daphnia

Compartment

 $\begin{array}{lll} \text{Duration} & 48 \text{ hours} \\ \text{Test} & \text{LC50} \\ \text{Result} & > 1200 \text{mg/l} \cdot \end{array}$ 

Other information

# 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

Product/substance carbon dioxide

Test method

Potential No

bioaccumulation

LogPow 0,8300

BCF No data available

Other information

# 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# 12.6. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

# **SECTION 13: Disposal considerations**

Chain Spray Page 9 of 12



#### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Avoid discharge to lakes, streams, sewers, etc.

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

#### EWC code

16 05 04\* Gases in pressure containers (including halons) containing dangerous substances

#### Specific labelling

Not applicable

# Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

# **SECTION 14: Transport information**

#### 14.1 - 14.4

This product is within scope of the regulations of transport of dangerous goods.

#### ADR/RID

| UN- or ID number | UN proper shipping name | Labels | PG | Tunnel restriction code |
|------------------|-------------------------|--------|----|-------------------------|
| 1950             | AEROSOLS                | 2.1    |    | 2 (D)                   |

### **IMDG**

| UN- or ID number | UN proper shipping name | Labels | PG | EmS      |
|------------------|-------------------------|--------|----|----------|
| 1950             | AEROSOLS                | 2.1    |    | F-D, S-U |

# "MARINE POLLUTANT"

No

#### **IATA**

| UN- or ID number | UN proper shipping name | Labels | PG |
|------------------|-------------------------|--------|----|
| 1950             | AEROSOLS                | 2.1    |    |

#### 14.5. Environmental hazards

Not applicable

#### 14.6. Special precautions for user

Not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

# Demands for specific education

No specific requirements

# SEVESO - Categories / dangerous substances

Not applicable

Additional information

Chain Spray Page 10 of 12



#### Not applicable

#### Sources

The Management of Health and Safety at Work Regulations 1999

The Health and Safety at Work etc. Act 1974 Regulations 2013.

The Aerosol Dispensers Regulations 2009 No. 2824, amended in 2014 (No. 1130) and in 2018 (No. 29)

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

Regulation (EC) 1907/2006 (REACH).

# 15.2. Chemical safety assessment

No

#### **SECTION 16: Other information**

#### ▼ Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H280, Contains gas under pressure; may explode if heated.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

# The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

PROC18 = Greasing at high energy conditions

PC24 = Lubricants, Greases and Release Products

ERC8a = Wide dispersive indoor use of processing aids in open systems

# Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol

of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

Chain Spray Page 11 of 12





RRN = REACH Registration Number

SCL = A specific concentration limit.

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

# The safety data sheet is validated by

ΙT

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

Chain Spray Page 12 of 12