According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SAFETY DATA SHEET

Glas Cleaner

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Trade name Glas Cleaner	
	es of the substance or mixture and uses advised against s of the substance or mixture
Cleaning product	
Use descriptors (REACH	H)
Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 10	Roller application or brushing
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems
Uses advised against None known. 1.3. Details of the supplier	r of the safety data sheet
▼ Company and addres Pureno A/S Gefionsvej 20 3400 Hillerød Denmark +45 70 260 267	
▼ Contact person Lars Skaarup	
▼E-mail	
ls@pureno.dk Revision	
24/04/2024	
SDS Version	
2.0	
Date of previous versio 02/11/2022 (1.0)	
1.4. Emergency telephone	e number
	line: +45 82 12 12 12 (24 hour service)
See section 4 "First aid	measures".
SECTION 2: Hazards iden	tification
Classified according to	Regulation (EC) No. 1272/2008 (CLP).

Classified according to Regulation (EC) No. 1272/2008 (CLP).

```
2.1. Classification of the substance or mixture
```

Aerosol 3; H229, Pressurised container: May burst if heated.

2.2. Label elements

Hazard pictogram(s)

Not applicable. Signal word Warning Hazard statement(s) Pressurised container: May burst if heated. (H229) Precautionary statement(s) General Keep out of reach of children. (P102) Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Do not pierce or burn, even after use. (P251) Response Storage Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F. (P410+P412) Disposal Hazardous substances None known. Additional labelling Not applicable. 2.3. Other hazards Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. ▼ Substances

Not applicable. This product is a mixture.

3.2. ▼Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
ethanol	CAS No.: 64-17-5 EC No.: 200-578-6 REACH: 01-2120063206-63-XXXX Index No.: 603-002-00-5	25-40%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 (SCL: 50.00 %)	
carbon dioxide	CAS No.: 124-38-9 EC No.: 204-696-9 REACH: Index No.:	5-10%	Press. Gas (Liq.) , H280	[1]
propan-2-ol;isopropyl alcohol;isopropanol	CAS No.: 67-63-0 EC No.: 200-661-7 REACH: Index No.: 603-117-00-0	1-3%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS No.: 68891-38-3 EC No.: 500-234-8 REACH: 01-2119488639-16 Index No.:	<0.25%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	[19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

Геап

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

▼ Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

▼ Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. ▼Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Pressurised container. In a fire or if heated, a pressure increase will occur and the container may burst.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. ▼ Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. ▼ Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. ▼ Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. ▼ Precautions for safe handling

Do not pierce or burn, even after use.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. ▼ Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. ▼ Control parameters

ethanol

Long term exposure limit (8 hours) (mg/m³): 1900 Long term exposure limit (8 hours) (ppm): 1000 Short term exposure limit (15 minutes) (mg/m³): 3800 Short term exposure limit (15 minutes) (ppm): 2000

carbon dioxide

Long term exposure limit (8 hours) (mg/m³): 9000 Long term exposure limit (8 hours) (ppm): 5000 Short term exposure limit (15 minutes) (mg/m³): 18000 Short term exposure limit (15 minutes) (ppm): 10000 Annotations: E = Substance has an EC limit.

propan-2-ol;isopropyl alcohol;isopropanol Long term exposure limit (8 hours) (mg/m³): 490 Long term exposure limit (8 hours) (ppm): 200 Short term exposure limit (15 minutes) (mg/m³): 980 Short term exposure limit (15 minutes) (ppm): 400

Statutory order 291 on exposure limits for substances and mixtures (19/03/2024)

▼ DNEL

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 µg/cm²
Long term – Local effects - Workers	Dermal	132 µg/cm²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Long term – Systemic effects - General population	Inhalation	52 mg/m3
Long term – Systemic effects - General population	Inhalation	52 mg/m ³
Long term – Systemic effects - Workers	Inhalation	175 mg/m3
Long term – Systemic effects - Workers	Inhalation	175 mg/m ³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

ethanol		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	206 mg/kg legemsvægt pr. dag
Long term – Systemic effects - General population	Dermal	206 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	343 mg/kg legemsvægt pr. dag
Long term – Systemic effects - Workers	Dermal	343 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	114 mg/m3
Long term – Systemic effects - General population	Inhalation	114 mg/m ³
Long term – Systemic effects - Workers	Inhalation	950 mg/m3
Long term – Systemic effects - Workers	Inhalation	380 mg/m³
Short term – Local effects - General population	Inhalation	950 mg/m3
Short term – Local effects - General population	Inhalation	950 mg/m ³
Short term – Local effects - Workers	Inhalation	1900 mg/m3
Short term – Local effects - Workers	Inhalation	1900 mg/m³
Long term – Systemic effects - General population	Oral	87 mg/kg legemsvægt pr. dag
Long term – Systemic effects - General population	Oral	87 mg/kg bw/day

propan-2-ol;isopropyl alcohol;isopropanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	319mg/kg bw/dag
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/dag
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89mg/m3
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg7m3
Long term – Systemic effects - Workers	Inhalation	500 mg/m³
Short term – Systemic effects - General population	Inhalation	178 mg/m³
Short term – Systemic effects - Workers	Inhalation	1000 mg/m ³
Long term – Systemic effects - General population	Oral	26mg/kg bw/dag
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day
Short term – Systemic effects - General population	Oral	51 mg/kg bw/day

▼ PNEC

 Alcohols, C12-14, ethoxylated, sulfates, sodium salts
 Duration of Exposure:
 PNEC:

 Route of exposure:
 240 µg/L

 Freshwater
 916.8 µg/kg

 Intermittent release (freshwater)
 71 µg/L

 Marine water
 24 µg/L

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Marine water sediment	91.7 μg/kg
Sewage treatment plant	10 g/L
Soil	7.5 mg/kg

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,96 mg/l
Freshwater		960 μg/L
Freshwater sediment		3,6 mg/kg
Freshwater sediment		3.6 mg/kg
Intermittent release		2,75 mg/l
Intermittent release (freshwater)		2.75 mg/L
Marine water		0,79 mg/l
Marine water		790 μg/L
Marine water sediment		2,9 mg/kg
Marine water sediment		2.9 mg/kg
Predators		380-720 mg/kg
Sewage treatment plant		580 mg/l
Sewage treatment plant		580 mg/L
Soil		0,63 mg/kg
Soil		630 µg/kg

propan-2-ol;isopropyl alcohol;isopropanol

Freshwater140.9 mg/LFreshwater sediment552 mg/kgFreshwater sediment552 mg/kgIntermittent release140.9 mg/LIntermittent release (freshwater)140.9 mg/LMarine water140.9 mg/LMarine water140.9 mg/LSewage treatment plant552 mg/kgSewage treatment plant2.251 g/LSoil28 mg/kg	Route of exposure:	Duration of Exposure:	PNEC:
Freshwater sediment552 mg/kgFreshwater sediment552 mg/kgIntermittent release140,9 mg/lIntermittent release (freshwater)140,9 mg/lMarine water140,9 mg/lMarine water140,9 mg/lMarine water sediment552 mg/kgMarine water sediment552 mg/kgPredators160 mg/kgSewage treatment plant251 mg/lSewage treatment plant2251 g/LSoil28 mg/kg	Freshwater		140,9 mg/l
Freshwater sediment552 mg/kgIntermittent release140,9 mg/lIntermittent release (freshwater)140,9 mg/lMarine water140,9 mg/lMarine water140,9 mg/lMarine water sediment552 mg/kgMarine water sediment552 mg/kgPredators160 mg/kgSewage treatment plant251 mg/lSewage treatment plant2251 g/LSoil28 mg/kg	Freshwater		140.9 mg/L
Intermittent release140,9 mg/lIntermittent release (freshwater)140,9 mg/lMarine water140,9 mg/lMarine water140,9 mg/lMarine water sediment552 mg/kgMarine water sediment552 mg/kgPredators160 mg/kgSewage treatment plant251 mg/lSewage treatment plant2,251 g/LSoil28 mg/kg	Freshwater sediment		552 mg/kg
Intermittent release (freshwater)140.9 mg/LMarine water140.9 mg/LMarine water140.9 mg/LMarine water sediment552mg/kgMarine water sediment552 mg/kgPredators160 mg/kgSewage treatment plant251 mg/LSewage treatment plant2.251 g/LSoil28 mg/kg	Freshwater sediment		552 mg/kg
Marine water140,9 mg/lMarine water140.9 mg/LMarine water sediment552mg/kgMarine water sediment552 mg/kgPredators160 mg/kgSewage treatment plant251 mg/lSewage treatment plant2.251 g/LSoil28 mg/kg	Intermittent release		140,9 mg/l
Marine water140.9 mg/LMarine water sediment552mg/kgMarine water sediment552 mg/kgPredators160 mg/kgSewage treatment plant251 mg/lSewage treatment plant2.251 g/LSoil28 mg/kg	Intermittent release (freshwater)		140.9 mg/L
Marine water sediment552 mg/kgMarine water sediment552 mg/kgPredators160 mg/kgSewage treatment plant251 mg/lSewage treatment plant2.251 g/LSoil28 mg/kg	Marine water		140,9 mg/l
Marine water sediment552 mg/kgPredators160 mg/kgSewage treatment plant251 mg/lSewage treatment plant2.251 g/LSoil28 mg/kg	Marine water		140.9 mg/L
Predators160 mg/kgSewage treatment plant251 mg/lSewage treatment plant2.251 g/LSoil28 mg/kg	Marine water sediment		552mg/kg
Sewage treatment plant251 mg/lSewage treatment plant2.251 g/LSoil28 mg/kg	Marine water sediment		552 mg/kg
Sewage treatment plant 2.251 g/L Soil 28 mg/kg	Predators		160 mg/kg
Soil 28 mg/kg	Sewage treatment plant		251 mg/l
5.5	Sewage treatment plant		2.251 g/L
Soil 28 mg/kg	Soil		28 mg/kg
	Soil		28 mg/kg

8.2. ▼Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

▼ Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards
No specific requirements			
kin protection			
Recommended	Type/Category	Standards	
No special when used as intended	-	-	
land protection			
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
No specific requirements	-	-	-
ye protection			
Туре	Standards		

In the likelihood of EN166 direct or incidental exposure, use eye protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state
Aerosol
Colour
Clear
Odour / Odour threshold Characteristic
рН
Testing not relevant or not possible due to the nature of the product.
Density (g/cm³) 0.94
Kinematic viscosity
Testing not relevant or not possible due to the nature of the product.
Particle characteristics
Testing not relevant or not possible due to the nature of the product.
Phase changes
Melting point/Freezing point (°C)
Testing not relevant or not possible due to the nature of the product.
Softening point/range (waxes and pastes) (°C)
Does not apply to aerosols.
Boiling point (°C)
Testing not relevant or not possible due to the nature of the product.
Vapour pressure
Testing not relevant or not possible due to the nature of the product.
Relative vapour density
Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C)
Testing not relevant or not possible due to the nature of the product.

llean

eno

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Auto-ignition tempera Testing not relevan Lower and upper expl Testing not relevan Solubility Solubility in water Testing not relevan n-octanol/water coeff Testing not relevan Solubility in fat (g/L) Testing not relevan 9.2. Other information Other physical and ch No data available. ▼ Oxidizing propertie	aerosols. Int or not possible due to the nature of the product. Int or not possible due to the nature of the product. Iosion limit (% v/v) Int or not possible due to the nature of the product. Int or not possible due to the nature of the product. Int or not possible due to the nature of the product. Int or not possible due to the nature of the product. Int or not possible due to the nature of the product. Int or not possible due to the nature of the product. Int or not possible due to the nature of the product. Int or not possible due to the nature of the product. Int or not possible due to the nature of the product.	
SECTION 10: Stability ar	id reactivity	
 10.3. Possibility of hazar None known. 10.4. Conditions to avoid None known. 10.5. Incompatible mate Strong acids, strong b 10.6. Hazardous decomp 	l rials bases, strong oxidizing agents, and strong reducing agents.	
SECTION 11: Toxicologi	cal information	
▼ Acute toxicity Product/substance Species: Route of exposure: Test: Result:	ethanol Rat Oral LD50 10470 mg/kg ·	
Product/substance	ethanol	

Product/substance Species: Route of exposure: Test: Result:	ethanol Rabbit Dermal LD50 >17100 mg/kg ·		
Product/substance Species: Route of exposure: Test: Result:	ethanol Rat Inhalation LC50 124,7 mg/l ·		
Product/substance Species:	carbon dioxide Rat		

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Test: Result:	Inhalation LC50 470000 ppm 0,5 h ·
Result.	470000 ppm 0,5 m
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg ·
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
Species:	Rat
Route of exposure:	Oral
Test: Result:	LD50 5840 mg/kg ·
Result.	5640 mg/kg *
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
Species:	Rat
Route of exposure: Test:	Inhalation LC50
Result:	66,1mg/l 4 h ·
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
Species: Route of exposure:	Rat Inhalation
Test:	LC50
Result:	47,5mg/l 8 h ·
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species: Route of exposure:	Rat Oral
Test:	LD50
Result:	>5000 mg/kg ·
Droduct/cubstance	Alcohole C12.14 otherwiteted sulfates codium salts
Product/substance Species:	Alcohols, C12-14, ethoxylated, sulfates, sodium salts Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>5000 mg/kg ·
in corrosion/irritation	
B 1 1 1 1 1	
	ata, the classification criteria are not met.
rious eye damage/irri	tation
rious eye damage/irri	tation ata, the classification criteria are not met.
rious eye damage/irri Based on available da spiratory sensitisatior Based on available da	tation ata, the classification criteria are not met.
rious eye damage/irri Based on available da spiratory sensitisatior Based on available da in sensitisation	tation ata, the classification criteria are not met. ា
rious eye damage/irrii Based on available da spiratory sensitisatior Based on available da in sensitisation Based on available da erm cell mutagenicity	tation ata, the classification criteria are not met. ata, the classification criteria are not met. ata, the classification criteria are not met.
rious eye damage/irrit Based on available da spiratory sensitisatior Based on available da in sensitisation Based on available da erm cell mutagenicity Based on available da	tation ata, the classification criteria are not met. ា ata, the classification criteria are not met.
rious eye damage/irrir Based on available da spiratory sensitisation Based on available da in sensitisation Based on available da erm cell mutagenicity Based on available da rcinogenicity	tation ata, the classification criteria are not met. ata, the classification criteria are not met. ata, the classification criteria are not met.
rious eye damage/irri Based on available da spiratory sensitisation Based on available da in sensitisation Based on available da erm cell mutagenicity Based on available da rcinogenicity Based on available da productive toxicity	tation ata, the classification criteria are not met. ata, the classification criteria are not met.
rious eye damage/irrii Based on available da spiratory sensitisation Based on available da in sensitisation Based on available da erm cell mutagenicity Based on available da rcinogenicity Based on available da productive toxicity Based on available da	tation ata, the classification criteria are not met. ata, the classification criteria are not met. ata, the classification criteria are not met. ata, the classification criteria are not met.
rious eye damage/irrii Based on available da spiratory sensitisation Based on available da in sensitisation Based on available da erm cell mutagenicity Based on available da productive toxicity Based on available da OT-single exposure Based on available da	tation ata, the classification criteria are not met. ata, the classification criteria are not met.
rious eye damage/irrii Based on available da spiratory sensitisation Based on available da in sensitisation Based on available da erm cell mutagenicity Based on available da productive toxicity Based on available da OT-single exposure Based on available da OT-repeated exposure	tation ata, the classification criteria are not met. ata, the classification criteria are not met.
rious eye damage/irrii Based on available da spiratory sensitisation Based on available da in sensitisation Based on available da erm cell mutagenicity Based on available da rcinogenicity Based on available da productive toxicity Based on available da OT-single exposure Based on available da OT-repeated exposure Based on available da	tation ata, the classification criteria are not met. ata, the classification criteria are not met.
rious eye damage/irrii Based on available da spiratory sensitisation Based on available da in sensitisation Based on available da erm cell mutagenicity Based on available da rcinogenicity Based on available da productive toxicity Based on available da OT-single exposure Based on available da OT-repeated exposure Based on available da piration hazard Based on available da	tation ata, the classification criteria are not met. ata, the classification criteria are not met.
rious eye damage/irrii Based on available da spiratory sensitisation Based on available da in sensitisation Based on available da rm cell mutagenicity Based on available da rcinogenicity Based on available da productive toxicity Based on available da OT-single exposure Based on available da OT-repeated exposure Based on available da piration hazard Based on available da	tation ata, the classification criteria are not met. ata, the classification criteria are not met.
rious eye damage/irrii Based on available da spiratory sensitisation Based on available da in sensitisation Based on available da erm cell mutagenicity Based on available da rcinogenicity Based on available da productive toxicity Based on available da OT-single exposure Based on available da OT-repeated exposure Based on available da	tation ata, the classification criteria are not met. ata, the classification criteria are not met.

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

propan-2-ol; isopropyl alcohol; isopropanol has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. ▼Toxicity Product/substance Species: Duration: Test: Result:	ethanol Fish 48 hours LC50 8150 mg/l ·
Product/substance	ethanol
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	1100 mg/l ·
Product/substance	ethanol
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	9268-14221 mg/l·
Product/substance	ethanol
Species:	Algae
Duration:	7 days
Test:	EC0
Result:	5000 mg/l ·
Product/substance	ethanol
Species:	Crustacean
Duration:	16 hours
Test:	EC0
Result:	6500 mg/l ·
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
Species:	Algae
Duration:	8 days
Test:	NOEC
Result:	>1800 mg/l ·
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	8970-9280 mg/l ·
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
Species:	Daphnia
Duration:	24 hours
Test:	EC50
Result:	9714 mg/l ·
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
Species:	Crustacean
Duration:	18 hours
Test:	EC10
Result:	5175 mg/l ·
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
Species:	Crustacean

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Duration:	No data available.
Test:	EC50
Result:	>1000mg/l ·
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Fish
Duration:	No data available.
Test:	LC50
Result:	>10-100 mg/l ·
Product/substance	Alcohole C12.14 attacked sulfator sodium salte
Species:	Alcohols, C12-14, ethoxylated, sulfates, sodium salts Algae
Duration:	No data available.
Test:	EC50
Result:	>100 mg/l ·
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Crustacean
Duration:	No data available.
Test:	ECO
Result:	>100 mg/l ·
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Daphnia
Duration:	No data available.
Test:	EC50
Result:	>10-100 mg/l ·
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Daphnia
Duration:	No data available.
Test:	NOEC
Result:	>0,1-1 mg/l ·
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Fish
Duration:	No data available.
Test:	NOEC
Result:	>0,1-1 mg/l ·
.2. ▼ Persistence and Product/substance	degradability ethanol
Conclusion:	Readily biodegradable
Draduct/cubstance	propag 2 eliteration decheliteration
Product/substance Result:	propan-2-ol;isopropyl alcohol;isopropanol 95%
Conclusion:	Readily biodegradable
Test:	OECD 301 E
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Conclusion:	Readily biodegradable
	tained in this preparation complies(comply) with the biodegradability criteria as laid down in
	48/2004 on detergents. Data to support this assertion are held at the disposal of the competer
authorities of the Me detergent manufactu	mber States and will be made available to them, at their direct request or at the request of a irer.
.3. ▼Bioaccumulative	
Product/substance	ethanol
Conclusion:	No potential for bioaccumulation
Product/substance	carbon dioxide
LogKow:	0,8300
Conclusion:	No potential for bioaccumulation
Product/substance	propan-2-ol;isopropyl alcohol;isopropanol
i i ouuco substatile	יר סימוד ב-טו,וסטיר טיצו מוכטרטו,וסטיר טימווטו

Conclusion:	No potential for bioaccumulation			
Product/substance Conclusion:	Alcohols, C12-14, ethoxylated, sulfates, sodium salts No potential for bioaccumulation			
2.4. Mobility in soil No data available.				
2.5. ▼ Results of PBT a	and vPvB assessment t does not contain any substances known to fulfil th	e criteria for PBT and y	vPvR cla	sification
12.6. ▼Endocrine disru	-		r vD cla.	ssincation.
	t does not contain any substances considered to ha	ve endocrine-disruptin	g prope	rties in relatior
SECTION 13: Disposal	considerations			
To the extent the me explosive waste. HP 4 - Irritant (skin i Commission Regula VEWC code	nt methods by the regulations on hazardous waste. (*) aterial has not been subject to regular tests of perox rritation and eye damage) tion (EU) No 1357/2014 of 18 December 2014 on was Gases in pressure containers (including halons) containing	ste.	te shall	be treated as
Not applicable.				
Contaminated packing Packaging containir	g residues of the product must be disposed of simil	arly to the product.		
SECTION 14: Transpor	t information			
14.1 14.2	14.3	14.4	14.5	Other

14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
UN1950 AEROSOLS	Transport hazard class: 2 Label: 2.2 Classification code: 5A	-	No	Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information.
UN1950 AEROSOLS	Transport hazard class: 2 Label: 2.2 Classification code: 5A	-	No	Limited quantities: 1 L EmS: F-D S-U See below for additional information.
UN1950 AEROSOLS	Transport hazard class: 2 Label: 2.2 Classification code: 5A	-	No	See below for additional information.
	UN / ID UN proper shipping name UN1950 AEROSOLS UN1950 AEROSOLS	UN / ID UN proper shipping nameHazard class(es)UN1950 AEROSOLSTransport hazard class: 2 Label: 2.2 Classification code: 5A VUN1950 AEROSOLSTransport hazard class: 2 Label: 2.2 Classification code: 5A V	UN / ID UN proper shipping nameHazard class(es)PG*UN1950 AEROSOLSTransport hazard class: 2 Label: 2.2 Classification code: 5A- - - - Label: 2.2 Classification code: 5A- - - - - - - Label: 2.2 Classification code: 5AUN1950 AEROSOLSTransport hazard class: 2 Label: 2.2 Classification code: 5A- - - - - Label: 2.2 Classification code: 5AUN1950 AEROSOLSTransport hazard class: 2 Label: 2.2 Classification code: 5A- - - - - - Label: 2.2UN1950 AEROSOLSTransport hazard class: 2 - - - Label: 2.2- - 	UN / ID UN proper shipping nameHazard class(es)PG*Env**UN1950 AEROSOLSTransport hazard class: 2 Label: 2.2 Classification code: 5A-NoUN1950 AEROSOLSTransport hazard class: 2 Label: 2.2 Classification code: 5A-No

* Packing group ** Environmental hazards

Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

PNO

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

- 14.6. Special precautions for user
- Not applicable.
- 14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances Not applicable.

▼ REACH, Annex XVII

ethanol is subject to REACH restrictions, REACH annex XVII (entry 40).

propan-2-ol; isopropyl alcohol; isopropanol is subject to REACH restrictions, REACH annex XVII (entry 40).

Product registration number

4408784

▼ Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

▼ Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Pregnant workers and workers who are breastfeeding (AT Guide A.1.8-6, amended 2020).

Executive Order no. 247 of 14 March 2014 on interior design, etc. of aerosols, as amended by EO No. 301 of 27 March 2014, EO no. 478 of 25 May 2016 and EO 1336 of 29 November 2017.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H280, Contains gas under pressure; may explode if heated.

- H315, Causes skin irritation.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H336, May cause drowsiness or dizziness.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

LCS "C" = Consumer uses: Private households (= general public = consumers) LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen) PROC 10 = Roller application or brushing PC 35 = Washing and Cleaning Products (including solvent based products) ERC 8a = Wide dispersive indoor use of processing aids in open systems Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable. The safety data sheet is validated by Lisbet Tetsche ▼ Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not

necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en