According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SAFETY DATA SHEET

Insektfjerner

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identi | fier |
|---------------------|------|
|---------------------|------|

Trade name

Insektfjerner

1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

None known.

Use descriptors (REACH)

| Sectors of use | Description |
|-----------------------------------|--|
| LCS "PW" | Professional uses: Public domain (administration, education, entertainment, services, craftsmen) |
| LCS "C" | Consumer uses: Private households (= general public = consumers) |
| Product category | Description |
| PC 35 | Washing and Cleaning Products (including solvent based products) |
| Process category | Description |
| PROC 11 | Non industrial spraying |
| Environmental release category | Description |
| ERC 8a | Wide dispersive indoor use of processing aids in open systems |

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Pureno A/S Gefionsvej 20 3400 Hillerød Denmark +45 70 260 267

▼ Contact person Lars Skaarup

▼E-mail Is@pureno.dk

Revision 07/10/2024

SDS Version

2.0

Date of previous version 14/11/2022 (1.0)

1.4. Emergency telephone number Contact the poison hotline: +45 82 12 12 12 (24 hour service) See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Aerosol 3; H229, Pressurised container: May burst if heated.

2.2. Label elements

Hazard pictogram(s)

Not applicable. Signal word Warning Hazard statement(s) Pressurised container: May burst if heated. (H229) Precautionary statement(s) General Keep out of reach of children. (P102) Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Do not pierce or burn, even after use. (P251) Response Storage Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F. (P410+P412) ▼ Disposal Hazardous substances None known. Additional labelling Not applicable. 2.3. Other hazards Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. ▼ Substances

Not applicable. This product is a mixture.

3.2. ▼Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|--|---|--------|---|------|
| 2-butoxyethanol | CAS No.: 111-76-2 EC No.: 203-905-0 REACH: 01-2119475108-36-XXXX Index No.: 603-014-00-0 | 5-10% | Acute Tox. 4, H302 (ATE: 1200.00 mg/kg) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 3, H331 | [1] |
| carbon dioxide | CAS No.: 124-38-9 EC No.: 204-696-9 REACH: Index No.: | 5-10% | Press. Gas (Liq.) , H280 | [1] |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | CAS No.: 68891-38-3 EC No.: 500-234-8 REACH: 01-2119488639-16 Index No.: | <0.25% | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 | [19] |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

▼ Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

▼ Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. ▼Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Pressurised container. In a fire or if heated, a pressure increase will occur and the container may burst. Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. ▼ Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements. 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. ▼ Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. ▼ Precautions for safe handling Do not pierce or burn, even after use. Avoid contact during pregnancy and while nursing. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection. 7.2. Conditions for safe storage, including any incompatibilities Recommended storage material Always store in containers of the same material as the original container. Storage conditions > 0°C Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 7.3. ▼ Specific end use(s) This product should only be used for applications quoted in section 1.2. SECTION 8: Exposure controls/personal protection 8.1. ▼ Control parameters 2-butoxyethanol Long term exposure limit (8 hours) (mg/m³): 98 Long term exposure limit (8 hours) (ppm): 20 Short term exposure limit (15 minutes) (mg/m³): 246 Short term exposure limit (15 minutes) (ppm): 50 Annotations: E = Substance has an EC limit. H = The substance can be absorbed through the skin. carbon dioxide Long term exposure limit (8 hours) (mg/m³): 9000 Long term exposure limit (8 hours) (ppm): 5000 Short term exposure limit (15 minutes) (mg/m³): 18000 Short term exposure limit (15 minutes) (ppm): 10000 Annotations: E = Substance has an EC limit. Statutory order 291 on exposure limits for substances and mixtures (19/03/2024) **V**DNEL 2-butoxyethanol **Duration**: Route of exposure: Long term – Systemic effects - General population Inhalation

| Long term - Systemic criters - General population | Innalation | 55 mg/m |
|---|--------------------|-----------------------|
| Long term – Systemic effects - Workers | Inhalation | 98 mg/m³ |
| Short term – Local effects - General population | Inhalation | 147 mg/m ³ |
| Short term – Local effects - Workers | Inhalation | 246 mg/m ³ |
| Short term – Systemic effects - General population | Inhalation | 426 mg/m ³ |
| Short term – Systemic effects - Workers | Inhalation | 1091 mg/m³ |
| Long term – Systemic effects - General population | Oral | 6.3 mg/kg bw/day |
| Short term – Systemic effects - General population | Oral | 26.7 mg/kg bw/day |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | |
| Duration: | Route of exposure: | DNEL: |
| Long term – Local effects - General population | Dermal | 79 μg/cm² |
| Long term – Local effects - Workers | Dermal | 132 µg/cm² |
| Long term – Systemic effects - General population | Dermal | 1650 mg/kg bw/day |
| | | |

DNEL:

59 ma/m³

'lea

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| Long term – Systemic effects - General population | Dermal | 1650 mg/kg bw/day |
|---|------------|----------------------|
| Long term – Systemic effects - Workers | Dermal | 2750 mg/kg bw/day |
| Long term – Systemic effects - Workers | Dermal | 2750 mg/kg bw/day |
| Long term – Systemic effects - General population | Inhalation | 52 mg/m3 |
| Long term – Systemic effects - General population | Inhalation | 52 mg/m ³ |
| Long term – Systemic effects - Workers | Inhalation | 175 mg/m3 |
| Long term – Systemic effects - Workers | Inhalation | 175 mg/m³ |
| Long term – Systemic effects - General population | Oral | 15 mg/kg bw/day |
| Long term – Systemic effects - General population | Oral | 15 mg/kg bw/day |

▼ PNEC

| 2-butoxyethanol | | |
|-----------------------------------|-----------------------|------------|
| Route of exposure: | Duration of Exposure: | PNEC: |
| Freshwater | | 8.8 mg/L |
| Freshwater sediment | | 34.6 mg/kg |
| Intermittent release (freshwater) | | 26.4 mg/L |
| Marine water | | 880 µg/L |
| Marine water sediment | | 3.46 mg/kg |
| Predators | | 20 mg/kg |
| Sewage treatment plant | | 463 mg/L |
| Soil | | 2.33 mg/kg |
| | | |

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

| Route of exposure: | Duration of Exposure: | PNEC: |
|-----------------------------------|-----------------------|-------------|
| Freshwater | | 240 µg/L |
| Freshwater sediment | | 916.8 µg/kg |
| Intermittent release (freshwater) | | 71 μg/L |
| Marine water | | 24 µg/L |
| Marine water sediment | | 91.7 µg/kg |
| Sewage treatment plant | | 10 g/L |
| Soil | | 7.5 mg/kg |

8.2. ▼ Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

▼ Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

▼ Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

| Work situation | Туре | Class | Colour | Standards |
|-----------------|-------------------|-------|--------|-----------|
| When developing | Normally, persona | al | | |

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| Work situation | Туре | Class | Colour | Standards | |
|--|---|-----------------------|---------------------|-----------|--|
| vapour, use respiratory protection with approved filter | respiratory equitment is not necessary | | | | |
| Skin protection | | | | | |
| Recommended | Type/Category | | Standards | | |
| No special when used as intended | - | | - | | |
| Hand protection | | | | | |
| Material | Glove thickness | (mm) Brea (min | kthrough time .) | Standards | |
| No special when used as intended | - | - | | - | |
| Eye protection | | | | | |
| Туре | Standards | | | | |
| No special when used as intended. | - | | | | |
| SECTION 9: Physical and ch | nemical properti | es | | | |
| .1. Information on basic pl | nysical and chen | nical propertie | S | | |
| Physical state Aerosol | | | | | |
| Colour Clear | | | | | |
| Odour / Odour threshold Pleasant | I | | | | |
| v pH | | | | | |
| No relevant or availab | ole data due to t | he nature of th | ne product. | | |
| ▼ Density (g/cm ³) No relevant or availab | ole data due to t | he nature of th | ne product. | | |
| ▼ Kinematic viscosity | | | | | |
| No relevant or availab ▼ Particle characteristics | | | - | | |
| No relevant or availab hase changes | ble data due to t | ne nature of tr | ie product. | | |
| ▼ Melting point/Freezing | point (°C) | | | | |
| No relevant or availab Softening point/range (°(| ole data due to t | he nature of th | ne product. | | |
| Does not apply to aer | osols. | | | | |
| Boiling point (°C) No relevant or available | ole data due to t | he nature of th | ne product. | | |
| ▼Vapour pressure No relevant or availab | | | | | |
| Relative vapour density No relevant or available | y | | | | |
| ▼ Decomposition temper No relevant or availab | rature (°C) | | | | |
| Data on fire and explosion h | | | | | |
| Flash point (°C) | | | | | |
| | acala | | | | |
| Does not apply to aer | osois. | | | | |
| Does not apply to aer ▼ Flammability (°C) No relevant or availab | ole data due to t | he nature of th | ne product. | | |
| Does not apply to aer ▼ Flammability (°C) | ble data due to t ture (°C) | | - | | |
| Does not apply to aer ▼ Flammability (°C) No relevant or availat ▼ Auto-ignition temperat | ble data due to t ture (°C) ble data due to t psion limit (% v/\ | he nature of th ⁄) | ne product. | | |

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| Solubility in water | |
|---|--|
| Completely solubl ▼ n-octanol/water co | |
| | ailable data due to the nature of the product. |
| ▼ Solubility in fat (g/L | .) |
| | ailable data due to the nature of the product. |
| 9.2. Other information | |
| Other physical and cl No data available. | |
| ▼ Oxidizing propertie | |
| | ailable data due to the nature of the product. |
| | |
| SECTION 10: Stability a | nd reactivity |
| 10.1. Reactivity | |
| No data available. | |
| 10.2. Chemical stability | under the conditions, noted in section 7 "Handling and storage" |
| 10.3. Possibility of haza | under the conditions, noted in section 7 "Handling and storage". |
| None known. | |
| 10.4. Conditions to avoi | d |
| None known. | |
| 10.5. Incompatible mate | erials bases, strong oxidizing agents, and strong reducing agents. |
| 10.6. ▼Hazardous deco | |
| | ions of storage and use, hazardous decomposition products should not be produced |
| SECTION 11: Toxicolog | ical information |
| SECTION II. TOXICOlog | |
| | zard classes as defined in Regulation (EC) No 1272/2008 |
| Acute toxicity Product/substance | 2-butoxyethanol |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: Result: | LD50 1746 mg/kg · |
| Product/substance | 2-butoxyethanol |
| Species: | Guinea pig |
| Route of exposure: Test: | Oral LD50 |
| | |

| Result: | 1414 mg/kg · |
|--------------------|---|
| Product/substance | 2-butoxyethanol |
| Species: | Guinea pig |
| Route of exposure: | Dermal |
| Test: | LD50 |
| Result: | >2000 mg/kg · |
| Product/substance | 2-butoxyethanol |
| Species: | Rat |
| Route of exposure: | Inhalation |
| Test: | LC50 |
| Result: | >3,1 mg/l · |
| Product/substance | carbon dioxide |
| Species: | Rat |
| Route of exposure: | Inhalation |
| Test: | LC50 |
| Result: | 470000 ppm 0,5 h · |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts |

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| | Species: | Rat | |
|---|-----------------------------|---|--|
| | Route of exposure: | Oral | |
| | Test: Result: | LD50 | |
| | Result: | >5000 mg/kg · | |
| | Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | |
| | Species: | Rat | |
| | Route of exposure: Test: | Dermal LD50 | |
| | Result: | >5000 mg/kg · | |
| S | kin corrosion/irritation | | |
| | Based on available da | ta, the classification criteria are not met. | |
| S | erious eye damage/irrit | | |
| | Based on available da | ta, the classification criteria are not met. | |
| R | espiratory sensitisation | 1 | |
| | Based on available da | ta, the classification criteria are not met. | |
| S | kin sensitisation | | |
| | Based on available da | ta, the classification criteria are not met. | |
| G | Ferm cell mutagenicity | | |
| | Based on available da | ta, the classification criteria are not met. | |
| C | arcinogenicity | | |
| | Based on available da | ta, the classification criteria are not met. | |
| R | eproductive toxicity | | |
| | Based on available da | ta, the classification criteria are not met. | |
| S | TOT-single exposure | | |
| | Based on available da | ta, the classification criteria are not met. | |
| S | TOT-repeated exposure | | |
| | Based on available da | ta, the classification criteria are not met. | |
| Α | spiration hazard | | |
| | Based on available da | ta, the classification criteria are not met. | |
| 1 | 1.2. Information on oth | ier hazards | |
| L | ong term effects | | |
| | None known. | | |
| | Fndocrine disrupting r | properties | |

Endocrine disrupting properties This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

2-butoxyethanol has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. ▼Toxicity

| Product/substance Species: Duration: Test: Result: | 2-butoxyethanol Fish 96 hours LC50 1474 mg/l · | |
|--|--|--|
| Product/substance Species: Duration: Test: Result: | 2-butoxyethanol Daphnia 48 hours EC50 1550mg/l · | |
| Product/substance Species: Duration: Test: Result: | 2-butoxyethanol Algae 72 hours EC50 1840 /lmg · | |
| Product/substance Species: | 2-butoxyethanol Crustacean | |

Jreno Clean

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| Duration: 16 hours Test: EC0 | | | |
|---|--|--|--|
| Result: | 700 mg/l · | | |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | |
| Species: | Fish | | |
| Duration: | No data available. | | |
| Test: | LC50 | | |
| Result: | >10-100 mg/l · | | |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | |
| Species: | Algae | | |
| Duration: | No data available. | | |
| Test: | EC50 | | |
| Result: | >100 mg/l · | | |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | |
| Species: | Crustacean | | |
| Duration: | No data available. | | |
| Test: Result: | ECO | | |
| Result: | >100 mg/l · | | |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | |
| Species: | Daphnia | | |
| Duration: | No data available. | | |
| Test: Result: | EC50 >10-100 mg/l · | | |
| Result. | | | |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | |
| Species: | Daphnia | | |
| Duration: Test: | No data available. NOEC | | |
| Result: | >0,1-1 mg/l · | | |
| | Aleshala C12.1.4 athresidated as first a solution and the | | |
| Product/substance Species: | Alcohols, C12-14, ethoxylated, sulfates, sodium salts Fish | | |
| Duration: | No data available. | | |
| Test: | NOEC | | |
| Result: | >0,1-1 mg/l | | |
| .2. ▼Persistence and de | | | |
| Product/substance | 2-butoxyethanol | | |
| Conclusion: | Readily biodegradable | | |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | |
| Conclusion: | Readily biodegradable | | |
| .3. ▼ Bioaccumulative po Product/substance | otential 2-butoxyethanol | | |
| LogKow: | 0,8100 | | |
| Conclusion: | No potential for bioaccumulation | | |
| Product/substance | carbon dioxide | | |
| LogKow: | 0,8300 | | |
| Conclusion: | No potential for bioaccumulation | | |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | |
| Conclusion: | No potential for bioaccumulation | | |
| .4. Mobility in soil | | | |
| No data available. | | | |
| .5. ▼ Results of PBT and | | | |
| This mixture/product do | bes not contain any substances known to fulfil the criteria for PBT and vPvB classification. | | |

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

to the environment. 12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. ▼ Waste treatment methods

Product is covered by the regulations on hazardous waste. (*) HP 6 - Acute toxicity Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste. VEWC code 16 05 04* Gases in pressure containers (including halons) containing dangerous substances Specific labelling Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

| | 14.1 14.2 UN / ID UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other informatio n: |
|------|--|--|-------------|---------------|--|
| ADR | UN1950 AEROSOLS | Transport hazard class: 2 Label: 2.2 Classification code: 5A | - | No | Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information |
| IMDG | UN1950 AEROSOLS | Transport hazard class: 2 Label: 2.2 Classification code: 5A | - | No | Limited quantities: 1 L EmS: F-D S- U See below for additional information |
| ΙΑΤΑ | UN1950 AEROSOLS | Transport hazard class: 2 Label: 2.2 Classification code: 5A | - | No | See below for additional information |

* Packing group

** Environmental hazards

▼ Additional information

This product is within scope of the regulations of transport of dangerous goods.

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or

-lean

eno

accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

▼ Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Pregnant workers and workers who are breastfeeding (AT Guide A.1.8-6, amended 2020).

Executive Order no. 247 of 14 March 2014 on interior design, etc. of aerosols, as amended by EO No. 301 of 27 March 2014, EO no. 478 of 25 May 2016 and EO 1336 of 29 November 2017.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3

H280, Contains gas under pressure; may explode if heated.

- H302, Harmful if swallowed.
- H315, Causes skin irritation.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H331, Toxic if inhaled.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- LCS "C" = Consumer uses: Private households (= general public = consumers)
- PROC 11 = Non industrial spraying

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

Clear

PNO

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals GWP = Global warming potential IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable. The safety data sheet is validated by Lisbet Tetsche ▼ Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a

triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en