

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### SAFETY DATA SHEET

# Læksøger NSF-P1 CA-209

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product iden	ifier	
▼Trade name		
	SF-P1 CA-209	whetewas are minimum and wass advised arginat
		ubstance or mixture and uses advised against ostance or mixture
Industrial p		
Use descriptor	s (REACH)	
Sectors of u	se Descript	ion
LCS "PW"	Professio	onal uses: Public domain (administration, education, entertainment, services, craftsmen)
LCS "C"	Consume	er uses: Private households (= general public = consumers)
Product cat	egory Descript	ion
PC 24	Lubrican	ts, Greases and Release Products
Process cat	egory Descript	ion
PROC 11	Non indu	istrial spraying
Environmer release cate	•	ion
ERC 4	Industria	l use of processing aids in processes and products, not becoming part of articles
Company and Pureno A/S Gefionsvej : 3400 Hiller Denmark +45 70 260 Contact person Lars Skaaru E-mail Is@pureno. Revision 10/10/2024 SDS Version 4.0 Date of previou 10/10/2024 1.4. Emergency te Contact the po See section 4 "	n. supplier of the safe address 20 ad 267 p dk us version (3.0) elephone number ison hotline: +45 82 First aid measures"	2 12 12 12 (24 hour service)
SECTION 2: Haza	rds identification	
Classified acco	rding to Regulation	n (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Aerosol 3; H229, Pressurised container: May burst if heated.

#### 2.2. Label elements

Hazard pictogram(s)

Not applicable. Signal word Warning Hazard statement(s) Pressurised container: May burst if heated. (H229) Precautionary statement(s) General Keep out of reach of children. (P102) Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Do not pierce or burn, even after use. (P251) Response Storage Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F. (P410+P412) Disposal Hazardous substances None known. Additional labelling Not applicable. 2.3. Other hazards Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
carbon dioxide	CAS No.: 124-38-9 EC No.: 204-696-9 REACH: Index No.:	5-10%	Press. Gas (Liq.) , H280	[1]
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS No.: 68891-38-3 EC No.: 500-234-8 REACH: 01-2119488639-16 Index No.:	<1%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	[19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Not applicable.

#### 5.2. Special hazards arising from the substance or mixture

Pressurised container. In a fire or if heated, a pressure increase will occur and the container may burst. Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Do not pierce or burn, even after use.

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Recommended storage material

Always store in containers of the same material as the original container.

Storage conditions

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

carbon dioxide Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 9000 Long term exposure limit (8 hours) (ppm): 5000 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 18000 Short term exposure limit (15 minutes) (ppm): 10000 Annotations: E = Substance has an EC limit.

Statutory order 291 on exposure limits for substances and mixtures (19/03/2024)

#### DNEL

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 μg/cm²
Long term – Local effects - Workers	Dermal	132 µg/cm²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	52 mg/m3
Long term – Systemic effects - General population	Inhalation	52 mg/m³
Long term – Systemic effects - Workers	Inhalation	175 mg/m3
Long term – Systemic effects - Workers	Inhalation	175 mg/m³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

#### PNEC

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		240 µg/L
Freshwater sediment		916.8 µg/kg
Intermittent release (freshwater)		71 μg/L
Marine water		24 µg/L
Marine water sediment		91.7 µg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. General recommendations

Саге

по

	nd consumption of food	is not allowed in the wo	rk area.
Exposure scenarios	vo oconovico implemente	ad fau this was duet	
•	re scenarios implemente	ed for this product.	
Exposure limits Professional users ar	e subjected to the legal	v set maximum concent	rations for occupational exposure. See
occupational hygiene			
Appropriate technical m			
	autions during use of the	e product. Avoid inhalati	on of gas or dust.
Hygiene measures			
In between use of the thoroughly. Pay spec	e product and at the end ial attention to hands, fo	d of the working day all o prearms and face.	exposed areas of the body must be washed
Measures to avoid envir			
No specific requirem			
dividual protection meas	ures, such as personal p	protective equipment	
Generally			
Respiratory Equipment	protective equipment.		
	Class	Colour	Standards
Туре	Class	Colour	Standards
No specific requirements			
Skin protection			
Recommended	Type/Category	Standard	S
Dedicated work clothing should be worn	-	-	Å
Hand protection			
Material	Glove thickness (mm)	Breakthrough time	Standards
	,	(min.)	
No special when used	-	-	-
as intended			
Eye protection			
Туре	Standards		
No special when used as intended.	-		
ECTION 9: Physical and c	hemical properties		
	nemical properties		
1. Information on basic p	hysical and chemical pro	operties	
Physical state	5		
Aerosol Colour			
Clear			
Odour / Odour threshol	d		
None			
pH_			
7			
Density (g/cm <sup>3</sup> )	bla data dua ta tha pati	ro of the product	
	ble data due to the natu	re of the product.	
Kinematic viscosity No relevant or availa	ble data due to the natu	re of the product	
Particle characteristics			
	hla data dua ta tha natu		

No relevant or available data due to the nature of the product.

Phase changes

Melting point/Freezing point (°C) No relevant or available data due to the nature of the product.

```
Softening point/range (°C)
```

Does not apply to aerosols.

Саге

игепо

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Boiling point (°C) No relevant or available data due to the nature of the product. Vapour pressure No relevant or available data due to the nature of the product.	
Relative vapour density No relevant or available data due to the nature of the product.	
Decomposition temperature (°C) No relevant or available data due to the nature of the product.	
Data on fire and explosion hazards	
Flash point (°C) Does not apply to aerosols.	
Flammability (°C)	
No relevant or available data due to the nature of the product.	
Auto-ignition temperature (°C) No relevant or available data due to the nature of the product.	
Lower and upper explosion limit (% v/v) No relevant or available data due to the nature of the product.	
Solubility	
Solubility in water Completely soluble	
n-octanol/water coefficient (LogKow) No relevant or available data due to the nature of the product.	
Solubility in fat (g/L)	
No relevant or available data due to the nature of the product. 9.2. Other information	
Other physical and chemical parameters No data available.	
Oxidizing properties No relevant or available data due to the nature of the product.	
SECTION 10: Stability and reactivity	
10.1. Reactivity No data available. 10.2. Chemical stability	

#### The product is stable under the conditions, noted in section 7 "Handling and storage".

- 10.3. Possibility of hazardous reactions
- None known. 10.4. Conditions to avoid

# None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Product/substance Species: Route of exposure: Test: Result:	carbon dioxide Rat Inhalation LC50 470000 ppm 0,5 h ·
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>5000 mg/kg ·

Product/substance Species:	Alcohols, C12-14, ethoxylated, sulfates, sodium salts Rat Devensel
Route of exposure: Test:	Dermal LD50
Result:	>5000 mg/kg ·
	5.5
Skin corrosion/irritation	
	a, the classification criteria are not met.
Serious eye damage/irritat	tion a, the classification criteria are not met.
Respiratory sensitisation Based on available data	a, the classification criteria are not met.
Skin sensitisation	
	a, the classification criteria are not met.
Germ cell mutagenicity	
Based on available data	a, the classification criteria are not met.
Carcinogenicity	
	a, the classification criteria are not met.
Reproductive toxicity	
	a, the classification criteria are not met.
STOT-single exposure	
	a, the classification criteria are not met.
STOT-repeated exposure	the electification criteria are not mot
	a, the classification criteria are not met.
Aspiration hazard	a, the classification criteria are not met.
11.2. Information on other	
Long term effects	
None known.	
Endocrine disrupting prop	erties
	oes not contain any substances known to have hormone-disrupting properties in relation to
health.	
Other information	

None known.

SECTION 12: Ecological information

## 12.1. Toxicity

Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Fish
No data available.
LC50
>10-100 mg/l ·
Alcohols, C12-14, ethoxylated, sulfates, sodium salts Algae No data available. EC50
>100 mg/l ·
Alcohols, C12-14, ethoxylated, sulfates, sodium salts Crustacean No data available. EC0 >100 mg/l ·
Alcohols, C12-14, ethoxylated, sulfates, sodium salts Daphnia No data available. EC50 >10-100 mg/l ·

ureno Care

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product Species: Duration Test:		Alcohols, C12-14, ethoxylated Daphnia No data available. NOEC	d, sulfates, sodium salts			
Result:		>0,1-1 mg/l ·				
Product Species: Duratio		Alcohols, C12-14, ethoxylated Fish No data available.	d, sulfates, sodium salts			
Test:	1.	NOEC				
Result:		>0,1-1 mg/l ·				
	istence and de /substance ion:	gradability Alcohols, C12-14, ethoxylated Readily biodegradable	d, sulfates, sodium salts			
	ccumulative p /substance	otential carbon dioxide				
LogKow		0,8300				
Conclus		No potential for bioaccumula	ation			
Product. Conclus	/substance ion:	Alcohols, C12-14, ethoxylated No potential for bioaccumula				
12.6. Endo This mi to the e	ocrine disrupti xture/product nvironment. r adverse effe	ng properties does not contain any substar	nces known to fulfil the criteria fo			
SECTION	13: Disposal c	onsiderations				
Produc Commi EWC co 16 0 Specific la Not app Contamina	ssion Regulati de 5 04* Ga belling blicable. ated packing	the regulations on hazardou on (EU) No 1357/2014 of 18 D uses in pressure containers (inclu				
SECTION	14: Transport	information				
	14.1 14.2 UN / ID UN	proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
DR	UN1950 AER	OSOLS	Transport hazard class: 2 Label: 2.2 Classification code: 5A	-	No	Limited quantities: L Tunnel restriction

code: (E) See below for additional

# Pureno Care

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
					informatior
IMDG	UN1950 AEROSOLS	Transport hazard class: 2 Label: 2.2 Classification code: 5A	-	No	Limited quantities: L EmS: F-D S- U See below for additional information
ΙΑΤΑ	UN1950 AEROSOLS	Transport hazard class: 2 Label: 2.2 Classification code: 5A	-	No	See below for additional information
with accic IMD0 trans IATA trans 14.6. Sp Not a 14.7. M	<ul> <li>/ See Table A, section 3.2.1 for any inform transport. See section 5.4.3, for instruction dents during transport.</li> <li>G / See section 3.2.1, for any information sport.</li> <li>/ See Table 4.2 for any information on sport.</li> <li>becial precautions for user applicable.</li> <li>aritime transport in bulk according to IM lata available.</li> </ul>	ons in writing regarding mitigation of d on special provisions, requirements, or pecial provisions, requirements, or warr	lamages in re r warnings in	elation to connect	incidents o ion with
SECTIC	DN 15: Regulatory information				
Resti N Dem SEVE N Addi N Sour E: N	afety, health and environmental regulation rictions for application lo special. ands for specific education lo specific requirements. ESO - Categories / dangerous substances lot applicable. tional information lot applicable. rces xecutive Order no. 247 of 14 March 2014 farch 2014, EO no. 478 of 25 May 2016 an ommission Regulation (EU) No 1357/2014	on interior design, etc. of aerosols, as and EO 1336 of 29 November 2017.		EO No. 3	01 of 27

classification, labelling and packaging of substances and mixtures (CLP). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

#### No

**SECTION 16: Other information** 

Full text of H-phrases as mentioned in section 3

H280, Contains gas under pressure; may explode if heated.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen) LCS "C" = Consumer uses: Private households (= general public = consumers)

PROC 11 = Non industrial spraying

PC 24 = Lubricants, Greases and Release Products

ERC 4 = Industrial use of processing aids in processes and products, not becoming part of articles

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals GWP = Global warming potential IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable.

#### The safety data sheet is validated by


Lisbet Tetsche

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not

ar



necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: DK-en

Саге

reno