

#### SAFETY DATA SHEET

# Silicone NSF-H1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

Silicone NSF-H1

Unique formula identifier (UFI)

W5ST-GYW1-32Q5-WGDP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Lubricant

Use descriptors (REACH)

Sectors of use	Description		
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)		
LCS "C"	Consumer uses: Private households (= general public = consumers)		
Product category	Description		
PC24	Lubricants, Greases and Release Products		
Process category	Description		
PROC11	Non industrial spraying		
Environmental release category	Description		
ERC8a	Wide dispersive indoor use of processing aids in open systems		

# **▼** Uses advised against

None known.

# 1.3. Details of the supplier of the safety data sheet

# Company and address

# Pureno A/S

Rønnevangs Alle 8

3400 Hillerød

Denmark

+45 70 260 267

# Contact person

Kenneth Christensen

## E-mail

kc@pureno.dk

# Revision

11/2/2022

# SDS Version

2.0

# Date of previous version

3/21/2022 (1.0)

# 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

## SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Aerosol 1; H222, H229, Extremely flammable aerosol. Pressurised container: May burst if heated.

## 2.2. Label elements

Hazard pictogram(s)





# Signal word

Danger

### Hazard statement(s)

Extremely flammable aerosol. Pressurised container: May burst if heated. (H222, H229)

### Safety statement(s)

#### General

Keep out of reach of children. (P102)

# **▼** Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Do not spray on an open flame or other ignition source. (P211)

Do not pierce or burn, even after use. (P251)

## Response

-

### Storage

Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F. (P410+P412)

#### Disposal

-

#### ▼ Hazardous substances

None known.

### **▼** Additional labelling

UFI: W5ST-GYW1-32Q5-WGDP

#### **▼** VOC

VOC content: 642 g/L

MAXIMUM VOC CONTENT (Phase II, category A/i (SB): 500 g/L)

#### 2.3. Other hazards

## **▼**Additional warnings

In the event of leaks, high concentrations of gases can quickly form. They can be toxic, asphyxiating, or explosive. This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# SECTION 3: Composition/information on ingredients

# 3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
dimethoxymethan	CAS No.: 109-87-5 EC No.: 203-714-2 REACH: Index No.:	60-80%	Flam. Liq. 2, H225	
carbon dioxide CAS No.: 124-38-9 EC No.: 204-696-9 REACH: Index No.:		5-10%	Press. Gas (Liq.) , H280	

----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

# **▼** Other information

\_

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.



#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### Eve contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### **Burns**

Rinse with water until pain stops then continue to rinse for 30 minutes.

#### 4.2. Most important symptoms and effects, both acute and delayed

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

## 4.3. ▼ Indication of any immediate medical attention and special treatment needed

None known.

### Information to medics

Bring this safety data sheet or the label from this product.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

# 6.3. ▼ Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

# 6.4. ▼ Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

Silicone NSF-H1 Page 3 of 10



### SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Avoid static electricity.

Protect electrical equipment in accordance with current standards. To divert static electricity during transmission, containers must be grounded and connected by wire with the receiving containers. Do not use spark-forming tools. Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

Pressurized gas packs (spray cans, aerosol cans) must be stored behind a wire mesh, which allows gases to escape and holds back packs flying around.

### Recommended storage material

Always store in containers of the same material as the original container.

# Storage temperature

> 0°C

### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

## SECTION 8: Exposure controls/personal protection

#### 8.1. ▼ Control parameters

# dimethoxymethan

Long term exposure limit (8 hours) (mg/m³): 3100

Long term exposure limit (8 hours) (ppm): 1000

Statutory order 1054 on exposure limits for substances and mixtures (28/06/2022)

# **▼** DNEL

dimethoxymethan

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	5,7 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	18.1 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	22mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	17.9 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	39 mg/m3
Long term – Systemic effects - General population	Inhalation	31.5 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	132 mg/m3
Long term – Systemic effects - Workers	Inhalation	126.6 mg/m³
Long term – Systemic effects - General population	Oral	9,6 mg/kg bw/day
Long term – Systemic effects - General population	Oral	18.1 mg/kg bw/day

### **▼ PNEC**

dimethoxymethan

umeenoxymeenum		
Route of exposure	Duration of Exposure	PNEC
Freshwater		14.577 mg/L
Freshwater sediment		13.135 mg/kg
Marine water		1.477 mg/L
Sewage treatment plant		10 g/L
Soil		4.654 mg/kg

# 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. General recommendations



Smoking, drinking and consumption of food is not allowed in the work area.

# **Exposure scenarios**

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

## Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### ▼ Measures to avoid environmental exposure

No specific requirements.

## 8.3. Individual protection measures, such as personal protective equipment

### Generally

Use only CE marked protective equipment.

### Respiratory Equipment

espiratory Equipment				
<b>Work situation</b>	Туре	Class	Colour	Standards
When developing vapour, use respiratory protection with approved filter	Normally, personal respiratory equitment is not necessary			
kin protection				
Recommended	Type/Category		Standards	
No special when used as intended	-		-	
land protection				
Material	Glove thickness (m	nm) Breakthrou (min.)	gh time	Standards
No special when used as intended	-	-		-
ye protection				
Туре	Standards			
No special when used as intended.	-			

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

## Physical state

Aerosol

### Colour

Clear

# ▼ Odour / Odour threshold

None

#### **▼**pH

Testing not relevant or not possible due to the nature of the product.

# Density (g/cm³)

0.9

# ▼ Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

## **▼** Particle characteristics

Testing not relevant or not possible due to the nature of the product.

# Phase changes

# ▼ Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

# ▼ Softening point/range (waxes and pastes) (°C)

Does not apply to aerosols.

## ▼ Boiling point (°C)

Silicone NSF-H1





Testing not relevant or not possible due to the nature of the product.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### **▼** Vapour pressure

Testing not relevant or not possible due to the nature of the product.

## **▼** Relative vapour density

Testing not relevant or not possible due to the nature of the product.

### ▼ Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

## Data on fire and explosion hazards

### Flash point (°C)

-30

### ▼ Ignition (°C)

Testing not relevant or not possible due to the nature of the product.

### ▼ Auto flammability (°C)

Testing not relevant or not possible due to the nature of the product.

## ▼ Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

### Solubility

#### **▼** Solubility in water

Testing not relevant or not possible due to the nature of the product.

### ▼ n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

### ▼ Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

## 9.2. Other information

# ▼ VOC (g/L)

642

### ▼ Other physical and chemical parameters

No data available.

# SECTION 10: Stability and reactivity

# 10.1. ▼ Reactivity

No data available.

# 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

# 10.3. ▼ Possibility of hazardous reactions

None known.

# 10.4. Conditions to avoid

Avoid static electricity.

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Product/substance

dimethoxymethan

Test method

Species Rat
Route of exposure Oral
Test LD50
Result 6423 mg/kg ·

Other information

Product/substance

dimethoxymethan

Test method

Species Mouse Route of exposure Oral

Silicone NSF-H1 Page 6 of 10



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Test LD50 Result 6950 mg/kg ·

Other information

Product/substance dimethoxymethan

Test method
Species Rabbit
Route of exposure Dermal
Test LD50
Result >500 mg/kg ·

Result Other information

Product/substance carbon dioxide

Test method

Species Rat
Route of exposure Inhalation
Test LC50

Result 470000 ppm 0,5 h ·

Other information

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

# Serious eye damage/irritation

Based on available data, the classification criteria are not met.

# Respiratory sensitisation

Based on available data, the classification criteria are not met.

## Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### ▼ Long term effects

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

### **▼** Endocrine disrupting properties

None known.

#### **▼** Other information

None known.

# SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance dimethoxymethan

Test method

Species Fish

Compartment

Duration 96 hours
Test LC50
Result >1000 mg/l⋅

Other information

Silicone NSF-H1 Page 7 of 10





Product/substance

dimethoxymethan

Test method

Duration

Test

Result

Species

Daphnia

Compartment

48 hours LC50 >1200mg/l·

Other information

## 12.2. ▼ Persistence and degradability

No data available.

# 12.3. ▼ Bioaccumulative potential

No data available.

# 12.4. ▼ Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# 12.6. ▼Endocrine disrupting properties

None known.

#### 12.7. ▼ Other adverse effects

None known.

# SECTION 13: Disposal considerations

## **▼** Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 3 - Flammable

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

# EWC code

16 05 04\* Gases in pressure containers (including halons) containing dangerous substances

▼ Waste group

16 05 04\* Gases in pressure containers (including halons) containing dangerous substances

# ▼ Specific labelling

Not applicable.

## Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

# **SECTION 14: Transport information**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es) 14.4 PG*	14.5 Env**	Other information
ADR	UN1950	AEROSOLS	Class: 2 - Labels: 2.1 Classification code: 5F	No	Limited quantities: 1 L Tunnel restriction code: (D) See below for additional information.
IMDG	UN1950	AEROSOLS	Class: 2 - Labels: 2.1 Classification code: 5F	No	Limited quantities: 1 L EmS: F-D S-U See below for additional information.
IATA	UN1950	AEROSOLS	Class: 2 - Labels: 2.1 Classification code:	No	See below for additional information.

Silicone NSF-H1 Page 8 of 10



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

14.1 UN / ID 14.2 UN proper shipping name

14.3 Hazard class(es) 14.4 PG\*

14.5 Env\*\*

Other information



# \* Packing group

# \*\* Environmental hazards

## **▼** Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

# 14.6. ▼Special precautions for user

Not applicable.

### 14.7. ▼ Maritime transport in bulk according to IMO instruments

No data available.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Restrictions for application

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

# **▼** Demands for specific education

No specific requirements.

# SEVESO - Categories / dangerous substances

P3b - FLAMMABLE AEROSOLS, Qualifying quantity (lower-tier): 5.000 tonnes (net) / (upper-tier): 50.000 tonnes (net)

## **▼** Additional information

Not applicable.

## **▼** Sources

The Danish Working Environment Authority's executive order no. 239 of 6 April 2005 on young people's work.

Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Pregnant workers and workers who are breastfeeding (AT Guide A.1.8-6, amended 2020).

Executive Order no. 247 of 14 March 2014 on interior design, etc. of aerosols, as amended by EO No. 301 of 27 March 2014, EO no. 478 of 25 May 2016 and EO 1336 of 29 November 2017.

Executive Order no. 372 of 25 April 2016 on control of the risk of major accidents with dangerous substances.

Executive Order no. 1369 of 25 November 2015 on the marketing and labeling of volatile organic compounds in certain paints and varnishes as well as products for car repair painting.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

# 15.2. Chemical safety assessment

Nο

# SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H280, Contains gas under pressure; may explode if heated.

### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

LCS "C" = Consumer uses: Private households (= general public = consumers)

Silicone NSF-H1 Page 9 of 10



PROC11 = Non industrial spraying

PC24 = Lubricants, Greases and Release Products

ERC8a = Wide dispersive indoor use of processing aids in open systems

### ▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

## **▼**Additional information

The classification of the mixture in regard to physical hazards has been based on experimental data.

### ▼ The safety data sheet is validated by

LT

# Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en